Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	"5450563"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:51
L2	10	"6026167"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:16
L3	7669	wireless and cache and (encrypt\$3 decrypt\$3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:17
L4	53	wireless same cache same(encrypt\$3 decrypt\$3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:17
L5	3618	wireless and cache and (encrypt\$3 decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:17
L6	463	wireless and cache same (encrypt\$3 decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:43
L7	24	("5991414" "6098079" "6405315"  "6370547" "5901227" "6263348"  "6167449" "20020099784" "5371 794" "5909540" "5915096" "6742 114").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:43
L8	0	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:43
S1	225	(key-cach\$3) or (key adj cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:55

	T		T	·		
S10 1	26	cache same ((main adj memory) or (system adj memory)) and decrypt\$4 and (table or list) and (address same key) and @ad<"20000915"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:37
S10 8	2	"6754197"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:54
S10 9	3	"6631447"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:54
S11 0	14	("4672601"   "5337313"   "5444718"   "5461614"   "5467341"   "5555266"   "5588009"   "5627878"   "5644576"   "5754754"   "5872777"   "6067297"   "6134237"   "6404772").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 17:23
S11 1	145	cache same ((main adj memory) or (system adj memory)) and decrypt\$4 and (table or list) and (address same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:38
S11 2	30	cache same ((main adj memory) or (system adj memory)) and decrypt\$4 and (table or list) and (address same key) and wireless and (ack or acknowledg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:52
S11 3	0	cache and "713"/\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:46
S11 4	4146	cache and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:46
S11 5	593	cache and "713"/\$.ccls. and (ack or acknowledg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:47
S11 6	17	cache and "713"/\$.ccls. and (ack or acknowledg\$3) and cache.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:47

S11 7	31	cache same ((main adj memory) or (system adj memory)) and decrypt\$4 and (table or list) and (address same key) and (wireless mobile )and (ack or acknowledg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:53
S11 8	15	((key-cach\$3) or (key adj cach\$3)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 18:18
S11 9	34	((key-cach\$3) or (key adj cach\$3)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 18:24
S12 0	27	S119 not S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 18:18
S12 1	311	((key-cach\$3) or (key with cach\$3)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:32
S12 2	35	(gregor with steven).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 18:57
S12 3	273	((key-cach\$3) or (key with cach\$3)) same (reply\$3 response acknowledg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:33
S12 4	8	((key-cach\$3) or (key with cach\$3)) same (reply\$3 response acknowledg\$3).same ((source ip) near address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:36
S12 5	79	((key-cach\$3) or (key same cach\$3)) same (reply\$3 response acknowledg\$3) and((source ip) near address) with (associat\$3 correspond\$3 based relat\$3 match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:38

C4.2		(4)	110 000115	00	-	2005/05/40 00 65
S12 6	17	((key-cach\$3) or (key same cach\$3)) same (reply\$3 response acknowledg\$3) and((source ip) near address) with (associat\$3 correspond\$3 based relat\$3 match\$3) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:43
S12 7	34	((key-cach\$3) or ((key entry)same cach\$3)) and (reply\$3 response acknowledg\$3) and((source ip) near address) with (associat\$3 correspond\$3 based relat\$3 match\$3) with key and decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:06
S12 8	1	((key-cach\$3) or ((key entry)same cach\$3)) and (reply\$3 response acknowledg\$3 authoriz\$3 (send\$3 near2 signal)) and((source ip) near address) with (associat\$3 correspond\$3 based relat\$3 match\$3) with key and decrypt\$3 with (prior\$2 before anticipat\$3) with (receiv\$3 arriv\$3 send\$3) with (new subsequent next)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:10
S12 9	1	((key-cach\$3) or ((key entry)same cach\$3)) and (reply\$3 response acknowledg\$3 authoriz\$3 (send\$3 near2 signal)) and((source ip) near address) with (associat\$3 correspond\$3 based relat\$3 match\$3) with key and decrypt\$3 with (prior\$2 before anticipat\$3 after) with (receiv\$3 arriv\$3 send\$3) with (new subsequent next)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:11
S13 0	1	((key-cach\$3) or ((key entry)same cach\$3)) and (reply\$3 response acknowledg\$3 authoriz\$3 (send\$3 near2 signal)) and((source ip) near address) with (associat\$3 correspond\$3 based relat\$3 match\$3) with key and decrypt\$3 same (prior\$2 before anticipat\$3 after) same (receiv\$3 arriv\$3 send\$3) with (new subsequent next)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:11
S13 1	6	(reply\$3 response acknowledg\$3 authoriz\$3 (send\$3 near2 signal)) and((source ip) near address) with (associat\$3 correspond\$3 based relat\$3 match\$3) with key and decrypt\$3 same (prior\$2 before anticipat\$3 after) same (receiv\$3 arriv\$3 send\$3) with (new subsequent next)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:13

S13	596	decrypt\$3 same (prior\$2 before	US-PGPUB;	OR	ON	2005/05/10 10:13
2	390	anticipat\$3 after) same (receiv\$3 arriv\$3 send\$3) with (new subsequent next)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OK	ON	2005/05/19 10:13
S13 3	5	cache with decrypt\$3 same (prior\$2 before anticipat\$3 after) same (receiv\$3 arriv\$3 send\$3) with (new subsequent next)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:16
S13 4	7	cache same decrypt\$3 same (prior\$2 before anticipat\$3 after) same (receiv\$3 arriv\$3 send\$3) with (new subsequent next)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:16
S13 5	84	cache with decrypt\$3 same (prior\$2 before anticipat\$3 after)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:59
S13 6	5	cache with key same (prior\$2 before anticipat\$3 after) same (receiv\$3 arriv\$3 send\$3) with (new subsequent next) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:00
S13 7	5	cache with key same (prior\$2 before anticipat\$3 after) same (resend re-send\$3 receiv\$3 arriv\$3 send\$3) with (new subsequent next another) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:01
S13 8	5	cache with key same (prior\$2 before anticipat\$3 after) same (resend re-sen\$3 receiv\$3 arriv\$3 send\$3) with (new subsequent next another) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:01
S13 9	5	cache with key same (prior\$2 before anticipat\$3 after) same (resen\$3 re-sen\$3 receiv\$3 arriv\$3 send\$3) with (new subsequent next another) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:02
S14 0	14	cache with key same (prior\$2 before anticipat\$3 after) same (resen\$3 re-sen\$3 receiv\$3 arriv\$3 send\$3) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:05
S14 1	9	S140 not S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:02

S14 2	159	cache with key with (future subsequent anticipat\$3 next )	US-PGPUB; USPAT;	OR	ON	2005/05/19 11:21
			EPO; JPO; DERWENT; IBM_TDB			
S14 3	30	cache with key with (future subsequent anticipat\$3 next ) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:23
S14 4	32	cache with key with (future subsequent anticipat\$3 next ) and (wireless mobile )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:25
S14 5	2	S144 not S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:24
S14 6	48	(US-20020039365-\$ or US-20030188015-\$ or US-20030084287-\$).did. or (US-4933938-\$ or US-5224166-\$ or US-5361391-\$ or US-5640456-\$ or US-5548649-\$ or US-5826109-\$ or US-5845324-\$ or US-5920699-\$ or US-5940596-\$ or US-5940596-\$ or US-5978951-\$ or US-6041058-\$ or US-6026167-\$ or US-6041058-\$ or US-6141344-\$ or US-6167045-\$ or US-6275886-\$ or US-6272639-\$ or US-6275886-\$ or US-6360297-\$ or US-6507908-\$).did. or (US-6526506-\$ or US-6545982-\$ or US-6611525-\$ or US-6636501-\$ or US-5467341-\$ or US-5737575-\$ or US-6643698-\$ or US-5822434-\$ or US-5701432-\$).did. or (EP-876027-\$ or EP-565849-\$). did. or (WO-200201367-\$ or US-5450563-\$ or US-6523118-\$ or US-6523118-\$ or US-6523118-\$ or US-6523118-\$ or US-5450563-\$ or US-6523118-\$ or US-6	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/05/19 11:24
S14 7	123280	"48" and (wireless mobile )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:25

S14 8	258594	"24" and (wireless mobile )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:25
S14 9	9	S146 and (wireless mobile )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:37
S15 0	7931	cache and key and (wireless mobile )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:37
S15 1	97	cache same key same (wireless mobile or (access near point) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:25
S15 2	46	"3761883"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:37